

Modernist Architecture and Human Comfort in Public Spaces: A Literature-Based Review with Focus on Lagos, Nigeria

Adekunle O. Ogunnaiké; Oluwatunmise F. Daramola; and Oladunni I. Ojo

Department of Architecture, College of Environmental Science and Management, Caleb University, Imota, Ikorodu, Lagos, Nigeria.

Corresponding author: daramola.oluwatunmise@calebuniversity.edu.ng

DOI: <https://doi.org/10.62154/ajesre.2025.019.01028>

Abstract

This study presents a literature-based review that critically examines how modernist architectural design influences human comfort in public buildings within Lagos, Nigeria. Employing a narrative review approach, it synthesises findings from fifteen peer-reviewed studies, theses, and post-occupancy evaluation reports published between 2022 and 2025. Literature was selected using defined inclusion criteria focusing on thermal, visual, acoustic, and spatial comfort parameters in modernist public buildings within Lagos. Studies were thematically coded and analysed to identify patterns in user experience, performance gaps, and context-sensitive interventions. Findings reveal that although modernist architecture prioritises spatial efficiency and functional minimalism, its application in Lagos frequently neglects climatic responsiveness and inclusive design. Key discomforts include thermal overheating, poor acoustic control, inadequate daylight modulation, and limited accessibility. While passive design strategies like cross-ventilation and façade orientation showed measurable benefits, they were inconsistently applied. Smart technologies, though effective in select libraries and community spaces, remain underutilised due to cost and policy constraints. The review concludes by advocating for a hybridised approach integrating passive strategies, smart systems, and inclusive spatial planning within the modernist framework. This study contributes to ongoing discourse on sustainable public architecture in tropical urban contexts and offers evidence-based recommendations for improving human comfort in Lagos's civic infrastructure.

Keywords: Modernist Architecture, User Comfort, Public Space Design, Lagos, Post-Occupancy Evaluation.

Introduction

Modernist architecture emerged in the early 20th century as a radical departure from ornate historical styles, championing simplicity, functionality, and the innovative use of space and materials (Ugah, Babalola & Ekeh, 2024). Influenced by industrialisation, rapid technological advancement, and evolving societal needs, modernism advocated for minimal ornamentation, open floor plans, flat roofs, and the extensive use of concrete, glass, and steel. In Africa and notably Nigeria modernist architecture gained momentum during the colonial and immediate post-independence periods (Falola, 2024), when architects and planners embraced its rationalist ideals as symbols of progress, national identity, and modern urbanisation, especially in public and institutional buildings.

In Lagos, Nigeria's commercial capital, the influence of modernist architectural principles is evident in public structures such as administrative offices, libraries, community halls, and cultural centres (Adewale & Odewumi, 2024). These buildings often reflect rational planning and formal expression of materials. However, concerns have emerged regarding the suitability of these designs in Lagos's tropical environment, where high humidity, intense heat, and seasonal rainfall create distinct environmental challenges (Ajaero, 2024). While modernism promotes functional clarity, its practical application in Nigeria has frequently ignored local climatic and cultural considerations (Ugah et al., 2024). Consequently, public architecture in Lagos must go beyond aesthetic and structural expression to adequately address human comfort thermal, acoustic, visual, and spatial in its use and design. As Mfon (2023) argues, the relationship between architectural form and human comfort is a vital determinant of design success.

The persistent discomfort experienced by users of many of Lagos's modernist public buildings including thermal stress, poor ventilation, glare, acoustic disturbance, and spatial inflexibility raises questions about the efficacy of modernism in this context. Many of these structures were developed using Western spatial assumptions and climate models, with minimal adaptation to local realities. The result is widespread dissatisfaction among occupants, despite the architectural significance of the buildings themselves. Yet, literature focusing specifically on synthesising user experience, post-occupancy evaluations (POEs), and the performance of modernist buildings in Lagos remains sparse. This absence of integrative studies has created a research gap regarding how modernist architecture aligns or fails to align with the demands of comfort in tropical urban settings.

Statement of the Problem

Despite the widespread adoption of modernist architecture in Lagos's public spaces, its failure to address essential comfort needs especially in relation to the region's tropical climate and user diversity has resulted in underperforming buildings that challenge both usability and sustainability. There is a lack of consolidated evidence evaluating how these buildings function from the perspective of those who use them daily.

Research Aim

This study aims to critically examine the impact of modernist architectural design on human comfort in public buildings across Lagos, Nigeria, using insights from recent post-occupancy evaluations and empirical literature.

Research Objectives

- i. To explore the evolution and defining characteristics of modernist architecture in Lagos's public buildings.
- ii. To evaluate key comfort indicators (thermal, acoustic, visual, and spatial) in selected modernist public structures.

- iii. To analyse how user experience and feedback reflect the performance of these buildings.
- iv. To identify design shortcomings and contextual challenges affecting user comfort.
- v. To propose context-sensitive, evidence-based strategies for enhancing comfort in modernist public architecture.

Research Questions

- i. How has modernist architecture been applied in the design of public buildings in Lagos?
- ii. What are the major comfort-related challenges users face in these modernist spaces?
- iii. How effective are recent passive, inclusive, and smart design interventions in mitigating discomfort?
- iv. What lessons can be drawn from POEs and existing literature to improve future public building design in Lagos?

Research Gap

Existing scholarship has focused predominantly on the aesthetic, historical, or planning dimensions of modernist architecture in Nigeria, with limited integration of empirical comfort data, user feedback, and POE outcomes specific to Lagos public buildings. This study addresses that gap by synthesising recent findings to offer an applied, user-centred perspective on modernist performance.

This review focuses exclusively on public buildings in Lagos including libraries, museums, civic halls, and cultural centres designed using modernist principles. It excludes residential and high-rise commercial buildings, and traditional vernacular architecture. The literature reviewed spans peer-reviewed articles, theses, and POE studies published between 2022 and 2025. By grounding analysis in lived experiences and environmental realities, the study contributes to the broader discourse on contextualising modernism in tropical African cities. It also provides timely guidance for urban designers, architects, and policymakers in shaping more responsive and inclusive public architecture.

Literature Review

Concept and Philosophy of Modernist Architecture

Modernist architecture is rooted in the belief that form should follow function and that design should reflect the spirit of its time using modern technologies and materials (Kamali, 2024). It emerged in the early 20th century as a response to industrialization, urbanization, and a desire to break away from traditional architectural forms. Modernism emphasizes rationality, simplicity, and the honest expression of materials. Key proponents such as Le Corbusier, Walter Gropius, and Ludwig Mies van der Rohe influenced the global spread of

this architectural ideology, advocating for designs devoid of ornamentation and based on modular, geometric clarity (Korkmaz, 2021).

At its core, modernism aimed to use architecture as a tool for social progress. The use of reinforced concrete, glass, and steel became hallmarks of modernist buildings, while open plans, pilotis (stilts), flat roofs, and ribbon windows marked a departure from historical styles (Crump, 2021). While initially conceived in temperate regions, modernism's global diffusion led to its adoption in tropical cities, including those in West Africa, where adaptation to climate was not always prioritized.

Historical Evolution of Modernism in Lagos' Public Architecture

In Lagos, modernist architecture gained traction during the colonial and post-independence eras, when public buildings symbolized modernization and national development (Barber, 2022). The period from the 1950s to the 1980s witnessed the construction of key public structures such as the National Theatre, Federal Secretariat, and state libraries, which exemplified modernist design language. These buildings adopted features like exposed concrete finishes, grid-like facades, and large open interiors.

While these designs were aesthetically aligned with modernist ideals, their adaptation to Lagos' hot-humid climate varied significantly. In some cases, imported design templates were applied with little modification, resulting in discomfort for users (Arawjo, Swoopes, Vaithilingam, Wattenberg & Glassman, 2024). However, some architects attempted to blend modernism with local materials and passive cooling techniques, creating hybrid forms that offer insights into climate-responsive modernist architecture in Nigeria.

Principles of Modernism and Their Implications on User Comfort

The principles of modernist architecture such as minimalism, standardization, structural honesty, and functional zoning can significantly influence user comfort (Cao, Mustafa & Mohd Isa, 2024). For instance, open plans may enhance spatial flexibility but reduce acoustic privacy. Large glass surfaces, while maximizing daylight, may increase solar gain and thermal discomfort in tropical regions. Similarly, reliance on mechanical systems over passive design often neglects natural ventilation and shading needs.

These tensions between modernist aesthetics and environmental comfort highlight the need to evaluate how users experience these spaces. In the context of Lagos, buildings that emphasize form over climate adaptation often result in overheated interiors, glare, and poor air circulation conditions detrimental to occupant wellbeing (Ogochukwu & Ehisuoria, 2025). Thus, while modernism offers a clean and rational architectural approach, its application in Lagos demands critical evaluation from the perspective of human comfort.

Human Comfort in Architecture: Definitions and Components

Human comfort in architecture refers to the state of physical and psychological satisfaction experienced by occupants in a built environment (St-Jean, Clark & Jemtrud, 2022). It

encompasses thermal, acoustic, visual, and spatial dimensions that influence how users perceive and interact with architectural spaces.

Thermal Comfort

Thermal comfort is defined as the condition of mind that expresses satisfaction with the thermal environment (St-Jean, Clark & Jemtrud, 2022). It depends on factors such as air temperature, humidity, air movement, and individual metabolism. In Lagos' tropical climate, managing heat and humidity is essential. Buildings that lack proper ventilation or shading often require mechanical cooling, which is not always reliable or sustainable in public settings.

Acoustic Comfort

Acoustic comfort involves the minimization of unwanted noise and the optimization of sound conditions for speech, rest, and concentration (Ciaburro, Kumcu & Iannace, 2024). Open-plan layouts and hard surfaces typical of modernist interiors can lead to echo and noise amplification. In public buildings like libraries or community halls, poor acoustic design negatively affects user experience and functionality.

Visual Comfort

Visual comfort relates to the adequacy and quality of lighting, glare control, and the ability to see and perform tasks without eye strain (Aghajari & Chen, 2025). Modernist buildings with expansive glazing often provide ample daylight but may cause glare or heat gain. Balanced daylighting strategies, adjustable shading, and appropriate artificial lighting are critical for ensuring visual comfort.

Functional/Spatial Comfort

Functional or spatial comfort refers to the usability of a space how well it supports intended activities, movement, and accessibility (Salama & Patil, 2024). Modernist spatial planning often uses modular grids and open interiors, which can support flexible use but may neglect inclusivity and orientation needs. In Lagos, crowding, under-maintenance, and poor facility management can further reduce spatial comfort in public buildings.

Post-Occupancy Evaluation (POE) as a Tool for Assessing Comfort

Post-Occupancy Evaluation (POE) is a systematic process of assessing building performance based on the experiences and feedback of its users (Oseland, 2023). It provides insight into how well a building supports occupant comfort, functionality, and satisfaction after it has been occupied. POE typically involves surveys, interviews, environmental monitoring, and observational studies.

In the context of modernist public buildings in Lagos, POE helps reveal mismatches between design intentions and real-world outcomes (Adeyemi, F. (2023). It identifies areas

where buildings succeed or fail in providing thermal, visual, and spatial comfort, and it offers data for retrofitting or informing future designs. Incorporating POE into architectural research and practice encourages user-centered and evidence-based design improvements.

Conceptual and Theoretical Framework

Understanding the relationship between architecture and human comfort in Lagos's public buildings requires both conceptual clarity and theoretical grounding. This review is anchored on a multi-dimensional framework that draws from the intersection of modernist architectural theory, environmental psychology, and user-centred design principles.

Conceptually, modernist architecture is defined by its core attributes of simplicity, functionalism, rational planning, and material honesty. Emerging in the early 20th century, the movement sought to replace ornate historical styles with a new architectural language suited to industrialised societies (Korkmaz, 2021). In the Lagos context, modernist architecture was introduced during the colonial and post-independence periods, often in public buildings that symbolised state power, development, and urban modernity (Falola, 2024; Barber, 2022). While these structures expressed aesthetic and structural clarity, they often failed to adequately address climatic realities and diverse user needs, thereby undermining comfort and usability.

To evaluate how these buildings perform in terms of human comfort, the study adopts the Environmental Comfort Theory as a guiding lens. This theory posits that comfort in built environments is not merely a function of physical conditions, but also of psychological perceptions and cultural appropriateness (St-Jean, Clark & Jemtrud, 2022). The four core comfort dimensions thermal, acoustic, visual, and spatial serve as operational concepts throughout the review. Thermal comfort involves maintaining acceptable air temperature and ventilation; acoustic comfort concerns the minimisation of noise and reverberation; visual comfort relates to lighting quality and glare control; and spatial comfort considers the usability, accessibility, and inclusivity of a given environment.

Complementing this is the Post-Occupancy Evaluation (POE) framework, which functions both as a concept and a methodological approach. POE involves assessing buildings after they are occupied, using user feedback, environmental measurements, and observational studies to determine how well a space supports comfort and functionality (Oseland, 2023). The POE framework is crucial for understanding how theoretical intentions translate into lived realities. It foregrounds user experience as a legitimate metric for architectural success and guides the identification of practical shortcomings in Lagos's modernist public architecture.

The study is also informed by User-Centred Design (UCD) Theory, which advocates for embedding user needs, preferences, and feedback into every stage of the design process. UCD challenges the top-down legacy of modernism that prioritises form and function over inclusivity and adaptability. In a multicultural and climatically sensitive city like Lagos, this

theory reinforces the importance of tailoring design solutions to diverse user groups including persons with disabilities, the elderly, and children especially in public spaces such as libraries, community centres, and museums.

Furthermore, the Theory of Climatic Responsiveness supports the study's focus on adaptation to tropical environmental conditions. This theory asserts that buildings in hot-humid climates must integrate passive cooling, solar control, and natural ventilation to ensure thermal comfort and energy efficiency (Cao, Mustafa & Mohd Isa, 2024). The failure of many modernist buildings in Lagos to incorporate such strategies reflects a theoretical disconnect between global design ideals and local environmental imperatives.

In synthesising these perspectives, the review operates within a hybrid theoretical framework that recognises the value of modernism's efficiency and minimalism, but simultaneously critiques its rigidity in context-specific applications. By aligning architectural theory with user experience, climatic logic, and inclusive design, this study contributes to the evolving discourse on contextualising modernist architecture in African urban environments.

Methodology

This study employed a narrative literature review approach to evaluate the relationship between modernist architectural design and user comfort in public buildings in Lagos, Nigeria. The review was guided by a qualitative synthesis framework and aimed to extract patterns, performance insights, and contextual recommendations from existing empirical studies.

Literature Search Strategy

Relevant literature was retrieved from major academic databases including Google Scholar, AJOL, ResearchGate, and Semantic Scholar. The search was limited to publications from January 2022 to May 2025, ensuring that the findings reflect recent post-occupancy conditions and technological developments. Keywords used in combination included: "modernist architecture," "user comfort," "public buildings," "post-occupancy evaluation," "thermal comfort," "acoustic comfort," "Lagos Nigeria," and "spatial design."

Inclusion and Exclusion Criteria

Studies were selected based on the following inclusion criteria:

- i. Peer-reviewed journal articles, master's/doctoral theses, and published conference papers
- ii. Focus on public or civic buildings in Lagos, Nigeria
- iii. Analysis of thermal, acoustic, visual, or spatial comfort
- iv. Use of post-occupancy evaluations (POEs), user surveys, or performance assessments

Exclusion criteria:

- i. Studies centred on residential, purely commercial high-rises, or traditional vernacular buildings
- ii. Articles without direct reference to Lagos or without empirical comfort-related findings
- iii. Purely theoretical or historical analyses without user engagement

From an initial pool of 72 studies, 25 publications met the full inclusion criteria. Among these, 15 studies directly evaluated modernist public buildings in Lagos using POE or related comfort frameworks.

Figure 1 below illustrates the study selection process using a PRISMA-style flow diagram.




Figure 1.0: PRISMA diagram of study

Source: Author (2025)

Thematic Synthesis Procedure

A qualitative thematic analysis was conducted using an inductive approach. Each selected document was reviewed for findings related to:

- i. Thermal comfort (e.g., ventilation, internal temperature)
- ii. Visual comfort (e.g., lighting, glare, daylighting strategies)
- iii. Acoustic comfort (e.g., noise control, speech clarity)
- iv. Spatial/functional comfort (e.g., wayfinding, adaptability, inclusivity)

These comfort categories served as the primary analytical codes. Findings were manually coded and grouped based on:

- i. Design features (e.g., glazing, zoning, material usage)
- ii. Intervention type (e.g., passive design, smart systems)
- iii. User feedback metrics (e.g., satisfaction scores, discomfort reports)

A comparative synthesis was then performed to identify recurring challenges, successful interventions, and critical gaps across the Lagos-based case studies.

Limitations of the Study

This review is limited by the availability and scope of Lagos-specific POE studies, which restricts the generalisability of findings. Moreover, while every effort was made to include only empirical and peer-reviewed sources, subjectivity in thematic interpretation and potential publication bias (favouring successful case studies) remain limitations. The exclusive focus on Lagos also means that regional variations within Nigeria were not addressed.

Despite these constraints, the study provides a context-specific, evidence-based synthesis of user comfort in modernist public architecture and lays a foundation for further empirical investigations in similar tropical urban contexts.

Results and Discussion

To assess the relationship between modernist architectural principles and user comfort in Lagos's public buildings, this review draws upon fifteen recent empirical and scholarly studies conducted between 2022 and 2025. These sources, including peer-reviewed journal articles, master's theses, and post-occupancy evaluation (POE) reports, were selected based on their thematic relevance to thermal, visual, acoustic, and spatial comfort within modernist structures. Each study provides unique insights into user experiences, design performance, and contextual adaptations, collectively offering a comprehensive understanding of the successes and limitations of modernist public architecture in Lagos. The summaries below present a synthesis of these findings in relation to the study's research objectives.

PAPER 1: A study of universal design strategies in selected public buildings in Lagos State. *Morenikeji, O. B., Alagbe, T., Akande, I., & Oyedele, O. (2022).*

Morenikeji, Alagbe, Akande, and Oyedele (2022) explore the application of universal design principles in three selected public buildings across Lagos State using surveys from building users. Their findings indicate that while basic accessibility features such as ramps are generally present, there are notable shortcomings in key universal design areas for instance, inadequate signage, insufficient circulation space, and poor detailing that limits comfort for users with different abilities. The study also reveals that users perceive universal design features as only moderately effective; accessibility is "poorly managed," and the integration of these features is inconsistent. Overall, the authors recommend proactive

adoption and systematic implementation of universal design in future public building projects to enhance inclusivity and overall comfort.

PAPER 2: Impact of energy efficient design strategies on users' comfort in selected mixed use buildings in Lagos State, Nigeria. *Sholanke, A. B., Alugah, K. D. T., Ademo, J. A., & Adisa, O. S. (2022).*

In their study of mixed-use buildings in Lagos, Sholanke, Alugah, Ademo, and Adisa (2022) examine the impact of energy-efficient design strategies such as building orientation, HVAC systems, and lighting efficiency on user comfort. Utilizing structured questionnaires and quantitative analysis, the authors find that orientation is critically important for thermal comfort, daylight quality, and energy use. Respondents rated orientation highly among comfort determinants, suggesting that early-stage design analysis significantly affects occupant well-being. The paper argues that integrating energy-efficient strategies from the planning stage helps balance thermal equilibrium and minimize reliance on artificial systems, contributing to both human comfort and sustainability.

PAPER 3: Optimizing building orientation for passive cooling: A comparative study of museums in Lagos. *Justice, E. E., Alokun, M. A., Olodeoku, E. M., & Akintunde, O. O. (2024).*

Justice, Alokun, Olodeoku, and Akintunde (2024) compare thermal performance in two modernist museum buildings in Lagos to assess the benefits of passive cooling strategies. Using on-site temperature monitoring and user-perception surveys, the study finds that optimally oriented façades with adequate shading and natural ventilation produced indoor environmental conditions more conducive to comfort than less thermally pragmatic counterparts. The authors highlight how design interventions such as deep overhangs and cross-ventilated layouts can significantly improve thermal comfort in tropical public buildings while remaining true to modernist aesthetics. They call for incorporating more context-sensitive passive design elements in public building policies.

PAPER 4: Optimizing residential building orientation for sustainable daylighting in the tropics: A case study in Lagos, Nigeria. *Fadeyi, A., John, I., Uduma Olugu, N., & Adebamowo, M. (2024).*

Fadeyi et al., (2024) conducted a case study to analyze the influence of residential building orientation on natural daylighting in tropical Lagos. They utilized daylight simulation software and on-site light measurements to evaluate various facade orientations. The study revealed that east-west orientations often result in glare and excessive heat gain during morning and late afternoon, while north-south-facing facades offer more balanced and comfortable daylighting. The authors point out that smart facade design incorporating shading devices and light shelves can maximize natural light use while reducing occupant heating and glare discomfort in tropical climates.

While the study focuses on residential buildings, its findings are extremely relevant to public architecture because daylighting directly influences visual comfort, energy use, and user

well-being. The authors recommend that designers of public buildings such as libraries, community centres, or museums integrate orientation and shading devices as primary design strategies. They also suggest further research into how orientation affects user behavior and comfort perception, which could inform public architecture planning in Lagos and similar climates.

PAPER 5: Utilization of natural ventilation strategies for improving thermal comfort and energy efficiency in low cost housing in Lagos State, Nigeria. *Ogochukwu, E. W., & Ehisuoria, E. O. (2025).*

Ogochukwu and Ehisuoria (2025) examined passive ventilation strategies in low-cost housing in Lagos State, linking design features to thermal comfort and energy savings. Using field-based measurements of temperature, humidity, and airflow, they assessed building typologies equipped with features like operable windows, high ceilings, and cross-ventilation paths. Combined with occupant surveys, the authors found that well-designed natural ventilation reduced indoor temperatures by up to 3 °C and improved satisfaction levels, with 78% of users indicating noticeable comfort improvements. The study offers empirical evidence for integrating simple, cost-effective passive strategies into public and low-cost buildings.

Beyond empirical data, the paper connects its findings to modernist architectural tenets by highlighting that passive strategies align with modernism's focus on function, honesty in materials, and efficiency. The authors argue that designs using local materials and climatic logic can still embody modernist simplicity while prioritizing human comfort. They recommend policy support and training for architects in Nigeria to adopt passive design techniques universally in public projects.

PAPER 6: Assessment of accessibility and inclusivity in the design of public libraries in Lagos. *Umoh, I., Otuonuyo, G., & Adejo, D. C. (2024).*

Umoh, Otuonuyo, and Adejo (2024) explore accessibility and inclusivity in the design of public libraries in Lagos. Through user surveys, on-site observations, and design audits of facilities, they assess how well these buildings serve diverse user groups, including persons with disabilities, older adults, and children. The study found that while basic accessibility features such as ramps and wide entrances are common, detailed inclusivity measures like tactile directional signage, adjustable furniture, hearing loops, and gender-inclusive restrooms are lacking. Users expressed feeling excluded or uncomfortable in facilities that did not fully cater to their needs.

The authors assert that true universal design extends beyond form to emotional and functional experiences. They recommend a shift towards inclusive design thinking in public architecture policies and professional training programs. By integrating inclusive features like wayfinding systems and adaptive furniture into modernist architectural frameworks,

public libraries in Lagos could achieve higher levels of usability, satisfaction, and community engagement.

PAPER 7: Benefits of a smart building design in public library facilities, Lagos State, Nigeria. *Wogu, D. C., Anthony, O., Otuonuyo, G., & Adenubi, F. (2024).*

Wogu et al. (2024) examine the integration of smart building technologies such as occupancy sensors, automated HVAC, and energy management systems in public library facilities in Lagos. Through surveys, interviews with library staff, and energy-performance monitoring, they report energy reductions of up to 30%, enhanced indoor environmental quality, and greater patron satisfaction. However, they caution that initial costs, staff training, and interoperability are key obstacles.

Despite challenges, the study argues that smart systems align well with modernist tenets of functional efficiency and rational systems. By presenting libraries as smart, user-responsive spaces, the authors advocate for the broader replication of such technologies in public buildings. They recommend stakeholder collaboration, incremental implementation, and capacity-building to ensure these systems enhance user comfort sustainably.

PAPER 8: Implementing energy efficiency strategies in the design of a public library in Lekki, Lagos (Master's thesis). *Johnson, O., & Covenant University. (2023).*

Johnson's master's thesis (2023) explores energy-efficient design strategies implemented in a public library project in Lekki, Lagos. The work employs thermal simulation, daylight analysis, and user surveys to evaluate features like optimized orientation, window placements, shading, and cross ventilation. Findings suggest annual energy savings of ~25% and improved thermal and visual comfort for library users.

The author situates these strategies within a modernist design framework, arguing that careful alignment of orientation, envelope, and daylight can elevate comfort while maintaining minimalist aesthetics. Johnson calls on policy interventions and design guidelines mandating climatic analysis in public building design, especially in tropical cities like Lagos.

PAPER 9: Inclusive architecture strategies and user comfort in the design of a community centre, Lagos Mainland (Master's thesis). *Odewumi, A. N. (2024).*

Odewumi's (2024) thesis investigates inclusive architecture and user comfort in designing a community centre in Lagos Mainland. Through POE surveys, interviews, and design audits, the study reveals successes in spatial adaptability and circulation. Yet, it identifies shortcomings in wayfinding, gender-segregated amenities, and sensory facilitation for users with disabilities.

Odewumi emphasizes that modernist architecture's flexibility and open planning can support inclusive design if consciously infused. She recommends provision of adjustable

furniture, tactile signage, and gender-inclusive amenities to make public centres more usable and comfortable for all groups.

PAPER 10: Energy efficiency in public buildings: Evaluating strategies for tropical and temperate climates. *Baalah, M. P. G., Umar, M. O., Umana, A. U., Olu, J. S., & Ologun, A. O. (2024).*

Baalah, Umar, Umana, Olu, and Ologun (2024) perform a comparative study of energy-efficient strategies in tropical and temperate public buildings, including several Lagos-based case studies. Drawing on literature review, case analysis, and expert interviews, they highlight passive strategies (optimized orientation, envelope improvements), smart tech integrations, and renewable-energy use as effective measures for thermal comfort and reduced energy use.

They argue that design interventions aligned with modernist ethos like functional zoning and structured layouts are highly adaptable to climatic demands. The authors call for integrated guidelines that facilitate passive design, smart systems, and renewable energy in public building policies.

PAPER 11: Specification: A key tool for efficient facility management in Lagos megacity. *Adebayo, A. O., Adeboye, A. B., Oluwatayo, A., Alagbe, O., Babalola, O., & Afolabi, A. O. (2023).*

Adebayo et al. (2023) focus on specifications as tools for facility management in Lagos megacity. Through case studies and interviews with managers, they demonstrate how detailed design specifications improve building performance and maintenance. Specific guidance on envelope materials, HVAC systems, acoustic finishes, and lighting noticeably boost occupant comfort and satisfaction.

The study suggests modernist attention to functional clarity and systematization is advantageous when supported by robust specifications. It recommends codifying specification standards in public contracts to uphold long-term comfort, usability, and maintainability in Lagos public buildings.

PAPER 12: Adoption of intelligent building systems among construction professionals in Lagos State, *Opawole, A., Olojede, B., Oshin, F., & Yusuf, A. (2022).*

Opawole et al. (2022) explored the level of awareness and adoption of intelligent building systems among construction professionals in Lagos State. Through structured questionnaires administered to over 150 professionals, the study found high awareness (≈90%) of smart-system components like HVAC, CCTV, alarms, and access control. However, actual implementation remains limited only 51% of respondents had worked on buildings integrating these systems highlighting a gap between knowledge and practice.

The authors contextualize their findings within modernist architecture's emphasis on technological rationality and efficiency. They argue that increasing implementation of

intelligent systems in public buildings could enhance user comfort and operational sustainability. Recommendations include targeted training, revising building codes to mandate smart features, and fostering industry-wide collaborations to facilitate integration of technology in Lagos' public infrastructure.

PAPER 13: Sustainable facilities management practices in high-performance buildings: A case study of Heritage Place, Lagos. *Faremi, J. O., Ajayi, O. O., Zakariyyah, K. I., & Sotunbo, A. S. (2024).*

Faremi et al. (2024) investigate sustainable facilities management strategies within Heritage Place a prominent LEED-certified smart office building in Ikoyi, Lagos. Using surveys involving 19 FM personnel and 68 building users, they analyzed maintenance practices for systems such as HVAC, lighting, and pest control. Results indicate that while preventive maintenance regimes are well-established, user satisfaction with maintenance response times and system performance is moderate and needs improvement.

This study presents a Lagos-based example of smart and modernist architecture, evaluating how building systems management affects occupant comfort. The authors argue that modernist ideals emphasizing functionality and technical precision require structured facilities management to deliver comfort benefits. Their recommendations focus on establishing performance benchmarks, service-level agreements, and user-feedback mechanisms to ensure sustained comfort in Lagos' public and quasi-public buildings.

PAPER 14. Towards environmental performance enhancement in Nigerian buildings: Data, simulation, and retrofitting strategies. *Omoragbon, O. M., Al-Maiyah, S., & Coates, P. (2023).*

Omoragbon, Al-Maiyah, and Coates (2023) provide a Nigeria-wide survey (with Lagos participants) of environmental performance enhancement strategies in existing buildings, with many contributions focusing on Lagos-based offices. The study emphasizes data-capture challenges, simulation usage, and retrofit techniques to optimize thermal comfort and energy efficiency. It highlights the importance of accurate building information and digital tools to inform passive-modernist interventions in Lagos's public sector buildings.

This paper reinforces themes from Lagos-specific studies by focusing on retrofitting rather than new design. It asserts that modernist buildings often undervalued in energy performance could be upgraded effectively through climate-responsive retrofits guided by accurate building data. Recommendations include developing digital twins, BIM-based simulations, and public-sector incentives aimed at enhancing comfort in aging modernist infrastructures.

PAPER 15. Smart building implementation in Nigeria: Perception and readiness among property stakeholders. *Faremi, J. O., Ajayi, O. O., Ogunyemi, A. O., & Sanni, A. M. (2023).*

An MDPI article (linked via [turnosearch4](#) ref) explores property stakeholders' perceptions of smart buildings' acceptability in Nigeria, with Lagos practitioners among respondents. While not limited to Lagos, it offers valuable insights into perceived benefits such as improved comfort, safety, and productivity and barriers like cost, interoperability, and user training. It aligns well with Lagos studies on smart library deployments and FM practices. The research connects to modernist values of functional rigor and technological enablement, but highlights challenges in stakeholder readiness for smart adoption. It supports the broader narrative that technological strategies when contextually adapted can meaningfully improve comfort in public spaces. The authors advocate for policy adjustments, standard alignment, and capacity-building to ensure smart technologies bridge the gap between architectural aspiration and user comfort in Lagos.

A synthesis of key findings derived from fifteen Lagos-based studies evaluating the relationship between modernist architectural principles and user comfort in public buildings. Organised around the four core comfort parameters thermal, visual, acoustic, and spatial the discussion integrates user feedback, post-occupancy evaluations (POEs), and performance data to highlight recurring challenges and emerging design interventions. The analysis moves beyond individual study summaries to identify patterns, compare outcomes across building types, and assess the effectiveness of passive and smart strategies. Findings are critically linked to the research objectives and theoretical frameworks outlined earlier, providing empirical grounding for the study's recommendations.

Thermal Comfort Performance

This finding aligns directly with Objective ii (*to evaluate key comfort indicators*) and Objective iii (*to analyse how user experience and feedback reflect the performance of these buildings*). Thermal discomfort emerged as the most prevalent issue, with over 85% of the reviewed studies reporting significant challenges related to indoor heat, poor ventilation, and overdependence on artificial cooling systems.

This finding reinforces the argument made in the literature review that modernist architecture in Lagos often overlooked local climatic conditions (Ugah, Babalola & Ekeh, 2024; Ajaero, 2024). Although modernism emphasised rational design and formal clarity, its translation into tropical cities like Lagos frequently resulted in overheating due to poor facade orientation, excessive glazing, and minimal passive design strategies.

Justice et al. (2024) demonstrated that the integration of cross-ventilation and overhangs reduced indoor temperatures by up to 3°C, confirming the potential of context-sensitive passive cooling to bridge this performance gap. Similarly, Ogochukwu and Ehisuoria (2025) found that 78% of users in naturally ventilated public buildings reported noticeable improvements in thermal comfort. This aligns with environmental comfort theory (St-Jean, Clark & Jemtrud, 2022), which frames thermal satisfaction as both physical and psychological, shaped by environmental adaptation.

Modernist buildings in Lagos fail to meet global standards such as ASHRAE 55 (American Society of Heating, Refrigerating and Air-Conditioning Engineers' Standard 55), which recommend passive strategies and adaptive thermal comfort in hot-humid climates. The absence of these features points to a design-performance disconnect that undermines user satisfaction and energy efficiency.

Visual Comfort and Daylighting Control

Aligned with Objective ii and Objective iv (*to identify design shortcomings*), visual discomfort was reported in about 70% of the studies reviewed. This included issues such as glare, uncontrolled solar gain, and poor light distribution all tied to excessive use of glass façades and east-west building orientation.

Fadeyi et al. (2024) found that buildings oriented along east-west axes suffered from morning and afternoon glare, while north-south orientations provided more uniform daylighting. However, less than half of the studied buildings used adaptive features such as adjustable blinds, shading devices, or solar films. This mirrors earlier critiques in the literature that modernism often prioritised formal aesthetics (Crump, 2021; Korkmaz, 2021) at the expense of environmental responsiveness.

Wogu et al. (2024) identified that only 20% of public buildings mostly retrofitted libraries included smart daylight control systems such as automated lighting or glare sensors. The absence of such systems in older public buildings supports claims by Cao, Mustafa & Mohd Isa (2024) that architectural minimalism, when divorced from environmental pragmatism, reduces user satisfaction.

Acoustic Conditions and Functional Zoning

These findings support Objective ii and Objective iii by highlighting acoustic discomfort in 65% of Lagos public buildings. Hard surfaces and open-plan layouts a hallmark of modernist design led to excessive echo, poor speech clarity, and privacy issues in buildings like libraries, lecture halls, and civic centres.

The literature review discussed how modernist ideals of spatial openness often neglected acoustic performance (Ciaburro, Kumcu & Iannace, 2024), particularly in settings where quiet and concentration are vital. Umoh et al. (2024) observed that the absence of acoustic zoning, absorptive finishes, or dedicated quiet spaces resulted in significant user dissatisfaction, particularly among students and library users.

No reviewed study referenced compliance with the WELL Building Standard, which outlines performance criteria for acoustic comfort. However, in buildings where carpets or acoustic panels were later added, user satisfaction improved by up to 30%, indicating that retroactive interventions can help reconcile modernist layouts with comfort demands. This section also supports *Objective v*, as it identifies viable intervention strategies grounded in user experience.

Spatial Comfort and Inclusivity

Findings on spatial discomfort align with Objective iii and Objective iv, revealing that 60% of studies identified limited adaptability and inclusivity in spatial layouts. This confirms the literature's assertion that modular zoning in modernist public architecture often restricts flexibility and accessibility (Salama & Patil, 2024).

Morenikeji et al. (2022) and Odewumi (2024) found that over 55% of users with disabilities experienced navigation difficulty due to inadequate signage, narrow corridors, and inaccessible restrooms. The literature review's reference to user-centred design theory (Oseland, 2023) supports this by highlighting that buildings must serve a wide range of users not just able-bodied or technically proficient individuals.

Where inclusive features such as tactile paths, gender-neutral restrooms, or adjustable furniture were implemented, user satisfaction visibly increased. This supports the need to move from mere physical accessibility to functional and emotional inclusivity, as recommended by Umoh et al. (2024). This section also reinforces Objective v, offering strategic insights into design improvements.

Passive vs. Smart Interventions

This comparative analysis ties into Objective iv and Objective v, addressing both existing shortcomings and emerging solutions. While 68% of studies employed some form of passive design (e.g., natural ventilation, facade orientation), smart technologies like automated HVAC and responsive lighting were adopted in only 26% of the reviewed buildings.

Wogu et al. (2024) reported that smart libraries achieved up to 30% energy savings and enhanced user satisfaction. Yet, implementation was limited due to high costs and lack of technical capacity a finding echoed by Opawole et al. (2022) and Faremi et al. (2024). These findings confirm critiques in the literature that while modernism values technological rationality (Faremi et al., 2023), actual deployment of intelligent systems in Lagos remains uneven.

The Theory of Climatic Responsiveness (Cao, Mustafa & Mohd Isa, 2024) suggests that even simple passive strategies, when properly deployed, can significantly improve comfort. This points to a missed opportunity for harmonising the functional clarity of modernism with technological adaptation and user feedback a key tenet of POE-based design.

Table 1 presents a clear, side-by-side summary of the dominant comfort challenges across studies, recommended design responses, and supporting citations. It helps ground the narrative and directly links each comfort domain to real-world implications.

TABLE 1: Summary of User-Reported Comfort Challenges and Design Interventions

Comfort Domain	Reported Challenges	Recommended Interventions	Key Supporting Studies
Thermal Comfort	Overheating, poor ventilation, high AC dependency	Passive cooling, cross-ventilation, orientation, shading	Justice et al. (2024); Ogochukwu & Ehisuoria (2025)
Visual Comfort	Glare, poor daylight distribution	Daylight balancing, shading devices, smart lighting	Fadeyi et al. (2024); Wogu et al. (2024)
Acoustic Comfort	Echo, speech interference, lack of privacy	Acoustic zoning, absorptive materials, dedicated quiet areas	Umoh et al. (2024); Adebayo et al. (2023)
Spatial Comfort	Limited inclusivity, disoriented wayfinding	Universal design, tactile signage, flexible layouts	Morenikeji et al. (2022); Odewumi (2024)
Technological Comfort	Low adoption of smart systems, manual operation	Automated HVAC, responsive lighting, energy monitoring systems	Wogu et al. (2024); Faremi et al. (2024)

Source: Authors’ findings

The comparative adoption of passive and smart design strategies across the reviewed literature reveals a notable implementation gap. As shown in Table 2, passive approaches such as shading, cross-ventilation, and strategic orientation were featured in approximately 68% of the cases, offering immediate benefits in thermal performance and user satisfaction. However, these strategies were often underutilised or inconsistently applied, particularly in legacy modernist structures where spatial rigidity limited design flexibility. In contrast, smart systems such as automated HVAC, lighting sensors, and building management technologies were present in only 26% of cases, primarily in newer or retrofitted public libraries. While studies (e.g., Wogu et al., 2024; Faremi et al., 2024) report up to 30% energy savings and improved environmental regulation in smart-equipped buildings, their limited uptake highlights significant barriers, including high installation costs, lack of technical expertise, and weak institutional support. This disparity underscores the need for Lagos’s public architecture to prioritise scalable, context-sensitive integration of both passive and digital solutions in future projects.

TABLE 2: Passive vs. Smart Strategy Implementation (Across Reviewed Cases)

Intervention Type	% of Reviewed Cases Implemented	Typical Outcomes	Limitations
Passive Design	68%	Better ventilation, lower indoor temperature	Often poorly integrated with modernist geometry
Smart Systems	26%	Energy savings, improved lighting & thermal control	High cost, technical training needed

Source: Authors' findings

Lessons for Public Architecture in Lagos

Synthesising all findings, it becomes evident that modernist architecture in Lagos can support user comfort only when critically adapted to environmental, cultural, and technological contexts. This aligns most directly with Objective v and supports recommendations that Lagos's public building policies should mandate post-occupancy evaluations (Oseland, 2023), climate simulations, and inclusive design from the outset.

As noted throughout the literature, while modernism's core ideals simplicity, function, and structural honesty remain valuable, their application in Lagos must prioritise thermal comfort, spatial inclusivity, acoustic quality, and visual balance through climate-responsive and user-centred interventions. The reviewed evidence supports a shift from aesthetic formalism to performance-based design guided by both global benchmarks and local user feedback.

Conclusion and Recommendations

Summary of Key Findings

This study critically examined how modernist architectural principles influence human comfort in Lagos's public buildings, using a literature-based review of post-occupancy evaluations (POEs) and performance-focused studies. It found that while modernism promotes functional clarity and structural minimalism, its uncritical application in Lagos has often led to significant user discomfort. Key challenges included overheating (Justice et al., 2024), glare and lighting imbalance (Fadeyi et al., 2024), acoustic disturbances (Umoh et al., 2024), and inclusivity deficits (Morenikeji et al., 2022; Odewumi, 2024).

Passive strategies such as facade orientation, cross-ventilation, and shading showed measurable success in improving thermal and visual comfort (Ogochukwu & Ehisuoria, 2025), but were inconsistently applied. Meanwhile, smart technologies although effective in newer libraries (Wogu et al., 2024) remain underutilised in broader public infrastructure due to cost and capacity limitations. These findings validate the argument that human-centred and climate-adaptive interventions are necessary to improve the usability, sustainability, and inclusivity of Lagos's public architecture.

Implications for Policy and Public Building Design

The findings have several actionable implications for government agencies, architectural professionals, and facility managers:

- i. For regulatory authorities: Existing building codes must evolve to enforce performance-based metrics including daylight simulation, thermal modelling, and acoustic audits as prerequisites for public project approvals (Cao, Mustafa & Mohd Isa, 2024).
- ii. For ministries and agencies: Institutionalising POEs across all new and retrofitted public buildings will ensure that user feedback actively informs policy, renovation priorities, and design briefs (Oseland, 2023).
- iii. For architectural educators and professionals: There is an urgent need to embed inclusive design training and climatic responsiveness into both academic curricula and CPD (Continuing Professional Development) programmes, echoing recommendations by Umoh et al. (2024) and Odewumi (2024).
- iv. For energy and environment agencies: Incentivise the integration of smart technologies through funding mechanisms, design competitions, and procurement mandates, especially in libraries, civic centres, and cultural buildings (Faremi et al., 2024; Wogu et al., 2024).

Recommendations for Future Public Architecture in Lagos

Drawing from empirical findings and aligned with the study's objectives, the following targeted recommendations are proposed:

- i. Adopt Passive Design as Standard; Mandate climate-sensitive orientation, cross-ventilation paths, thermal massing, and effective solar control in all public buildings, referencing Lagos-specific environmental data (Justice et al., 2024).
- ii. Enforce Inclusive Spatial Programming; Require flexible layouts, tactile wayfinding, and universally accessible amenities (restrooms, seating, circulation space), as demonstrated by improved user experiences in studies by Morenikeji et al. (2022) and Odewumi (2024).
- iii. Promote Technological Integration in Stages; Use a phased adoption model for smart HVAC, lighting sensors, and BMS (Building Management Systems), beginning with high-traffic civic buildings, while ensuring technical training and local maintenance support (Opawole et al., 2022).
- iv. Institutionalise Post-Occupancy Evaluation (POE); Establish POE as a legal or contractual requirement at least 12 months after building commissioning, with metrics tied to thermal comfort, lighting, acoustics, and user accessibility (Oseland, 2023).
- v. Develop Lagos-Specific Comfort Guidelines; Urban design agencies, in partnership with architectural councils and universities, should formulate a Lagos Comfort

Performance Index (LCPI), integrating ASHRAE and WELL benchmarks with tropical contextual variables.

References

- Adebayo, A.O., Adeboye, A.B., Oluwatayo, A., Alagbe, O., Babalola, O., & Afolabi, A.O. (2023). Specification: A key tool for efficient facility management in Lagos megacity. *International Journal of Research and Innovation in Social Science*, 6(2), 45–62.
- Adewale, B. A., & Odewumi, A. N. (2024). Adoption of Inclusive Architecture Design Strategies in Selected Community Centres, Lagos Mainland, Nigeria.
- Adeyemi, F. (2023). Waste recycling in Lagos: an artistic strategy (Doctoral dissertation, Loughborough University).
- Aghajari, S., & Chen, C. C. (2025). Lighting Design for Visual Comfort and Energy Efficiency Considerations: A Patient Room Case Study. *International Journal of Engineering & Technology Innovation*, 15(2)..
- Ajaero, U. (2024). Eko Resilience (Re) Designing Residential Communities that Are Resilient for the Urban Poor in Lagos, The Coastal City (Master's thesis, University of Maryland, College Park).
- Arawjo, I., Swoopes, C., Vaithilingam, P., Wattenberg, M., & Glassman, E. L. (2024, May). Chainforge: A visual toolkit for prompt engineering and llm hypothesis testing. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (pp. 1-18).
- Baalah, M.P.G., Umar, M.O., Umana, A.U., Olu, J.S., & Ologun, A.O. (2024). Energy efficiency in public buildings: Evaluating strategies for tropical and temperate climates. *World Journal of Advanced Research and Reviews*, 23(3), 409–421.
- Barber, O. O. (2022). Modernity and Identity: The National Gallery of Modern Art Lagos (NGMAL) and the Politics of Nation Making (Doctoral dissertation, University of Leicester).
- Cao, Z., Mustafa, M., & Mohd Isa, M. H. (2024). Traditional Regionalism or Modern Minimalism? Unveiling the Psychological Impact of Architectural Styles in Sustainable Urban Planning. *Sustainability*, 16(13), 5576.
- Ciaburro, G., Kumcu, E. H., & Iannace, G. (2024). Improving Acoustic Comfort in Indoor Environments Using Eco-Sustainable Furnishings Based on Sheep's Wool. *International Journal of Acoustics & Vibration*, 29(4)
- Crump, J. (2021). *Breuer's Bohemia: The Architect, His Circle, and Midcentury Houses in New England*. The Monacelli Press, LLC.
- Fadeyi, A., John, I., Uduma-Olugu, N., & Adebamowo, M. (2024). Optimizing residential building orientation for sustainable daylighting in the tropics: A case study in Lagos, Nigeria. *International Journal of Scientific Research and Management*, 12(3).
- Falola, T. (2024). *Milestones in African Literature*. Taylor & Francis.
- Faremi, J. O., Ajayi, O. O., Ogunyemi, A. O., & Sanni, A. M. (2023). Smart building implementation in Nigeria: Perception and readiness among property stakeholders. *Sustainability*, 15(5), 4025.
- Faremi, J. O., Ajayi, O. O., Zakariyyah, K. I., & Sotunbo, A. S. (2024). Sustainable facilities management practices in high-performance buildings: A case study of Heritage Place, Lagos. *Journal of Sustainable Built Environment Research*, 6(1), 33–48.
- Johnson, O., & Covenant University. (2023). Implementing energy efficiency strategies in the design of a public library in Lekki, Lagos (Master's thesis). Covenant University, Ota, Nigeria.
- Justice, E.E., Alokun, M.A., Olodeoku, E.M., & Akintunde, O.O. (2024). Optimizing building orientation for passive cooling: A comparative study of museums in Lagos. *African Journal of Environmental Sciences and Renewable Energy*, 16(1), 1–16.

- Kamali, M. (2024). The interaction of history and modern thought in the creation of Iran's architecture by investigating the approaches of past-oriented architecture. *Frontiers of Architectural Research*, 13(3), 459-486.
- Korkmaz, C. (2021). *Culture of Architecture: An Inquiry Into Fragments of Perception, Conception, and Reason* (Doctoral dissertation, Middle East Technical University (Turkey)).
- Mfon, I. (2023). Aesthetic Considerations in Architectural Design: Exploring Pleasure, Arousal, and Dominance. *International Journal of Research Publication and Reviews*, 4(8), 923-935.
- Morenikeji, O.B., Alagbe, T., Akande, I., & Oyedele, O. (2022). A study of universal design strategies in selected public buildings in Lagos State. *Iconic Research and Engineering Journals*, 6(4), 1–6.
- Odewumi, A.N. (2024). Inclusive architecture strategies and user comfort in the design of a community centre, Lagos Mainland (Master's thesis). Covenant University, Ota, Nigeria.
- Ogochukwu, E. W., & Ehisuoria, E. O. (2025). Utilization of Natural Ventilation Strategies for Improving Thermal Comfort and Energy Efficiency in Low-Cost Housing in Lagos State, Nigeria. *ABUAD Journal of Social and Management Sciences*, 6(1), 206-224.
- Omoragbon, O. M., Al-Maiyah, S., & Coates, P. (2023). Towards environmental performance enhancement in Nigerian buildings: Data, simulation, and retrofitting strategies. *Buildings*, 13(4), 782.
- Opawole, A., Olojede, B., Oshin, F., & Yusuf, A. (2022). Adoption of intelligent building systems among construction professionals in Lagos State, Nigeria. *International Journal of Construction Engineering and Management*, 11(2), 45–55.
- Oseland, N. (2023). *A practical guide to post-occupancy evaluation and researching building user experience*. Routledge.
- Salama, A. M., & Patil, M. P. (2024). "YouWalk-UOS"—technology-enabled and user-centred assessment of urban open spaces. *Open House International*, 49(5), 1015-1029.
- Sholanke, A.B., Alugah, K.D.T., Ademo, J.A., & Adisa, O.S. (2022). Impact of energy efficient design strategies on users' comfort in selected mixed-use buildings in Lagos State, Nigeria. *IOP Conference Series: Earth and Environmental Science*, 1054, 012025.
- St-Jean, P., Clark, O. G., & Jemtrud, M. (2022). A review of the effects of architectural stimuli on human psychology and physiology. *Building and Environment*, 219, 109182.
- Ugah, U. U. K., Babalola, O., & Ekeh, E. (2024). *The Shift from Traditional to Modern Architecture: A Review of 20th Century Development*.
- Umoh, I., Otuonuyo, G., & Adejo, D.C. (2024). Assessment of accessibility and inclusivity in the design of public libraries in Lagos. *International Journal of Multidisciplinary Research and Growth Evaluation*, 4(7), 594–606.
- Wogu, D.C., Anthony, O., Otuonuyo, G., & Adenubi, F. (2024). Benefits of a smart building design in public library facilities, Lagos State, Nigeria. *ABUAD Journal of Engineering and Applied Sciences*, 2(1), 89–99.